VOLUME 8, 1978, NO. 1 & 2

Editorial Comment
Leon Adam 1
Comments upon the First Mediterranean Conference on Medical and Biological Engineering, Sorrento September 12th–17th, 1977
W. J. Perkins 3
On-line Evaluation of the Muscle Transfer Function – a Possible Test for Rehabilitation Purposes
M. Bracale, M. Caiazzo, and F. Petraccarc 5
Advances in Nonimplantable Electrical Stimulators for Correction of Urinary Incontinence
P. Suhel, B. Kralj, and S. Plevnik 11
Present State and Prospects in the Design of Multichannel FES Stimulators for Fait Correction in Paretic Patients
A. Trnkoczy, U. Stanic, and M. Malezic 17
A Model of the Mechanism Controlling Neuromuscular Activation during Ambulation based on Feedback Control Hypothesis
C. Frigo and A. Pedotti 29
Measuring the Stimulating Energy Threshold in Living Tissues
L. Bedini, F. Denoth, and C. Contini 37
The Effect of Location of Muscle Spindle on the Predicted Reflex Control of Muscle Length
M. Lord 41
The Cardiovascular System Simulated Mathematically for Normal and Defective States
J. Dagan and U. Levi 47
EEG Evoked Response, P300 and CNV during Processing of Sentence Information: Clinical Application
H. Goto, T. Adachi, T. Utsunomiya, H. Nakano, and K. Chin 55
Electrical Impedance Brain Scanner: Principles and Preliminary Results of Simulation
A. L. Benabid, L. Balme, J. C. Persat, M. Belleville, J. P. Chirossel, M. Buyle-Bodin, J. de Rougemont, and C. Poupot 59
Resolution of Electrostatic Field due to Nerve or Muscular Spikes for EMG Analysis
L. Divieti and B. Mambrito 69

VOLUME 8, 1978, NO. 3 & 4

Effect of alternating Magnetic Fields (60–100 gauss, 60 Hz) on *Tetrahymena pyriformis*
F. L. Tabrah, D. L. Guernsey, S.-C. Chou, and S. Batkin 73
Intracranial Pressure Regulation: A Comparative Model of Cerebrospinal Fluid Systems
R. N. Johnson, C. J. Maffeo, J. D. Mann, A. B. Butler, and N. H. Bass 79
Schedule-Induced Drinking: Entrainment by Fixed- and Random-Interval Schedule-Controlled Feeding
J. D. Keehn and M. Burton 93
Antidiuretic Hormone Secretion and Urine Flow in Aged Catheterized Patients
R. Luboshitzky, P. Lavie, Y. Sok, S. M. Glick, D. Leroüh, Z. Shen-orr, and D. Barzilai 99
Corrosion Rates of Dental Amalgam in Ringer Solutions and Artificial Saliva
E. Barón C., C. M. Marschoff, and P. J. Aragón 105

Adachi, T. 55
Adam, L. 1
Aragon, P. J. 105
Balme, L. 59
Baron, E. C. 105
Bass, N. H. 79
Batkin, S. 73
Bedini, L. 37
Belleville, M. 59
Benabid, A. L. 59
Barzilai, D. 99
Bracale, M. 5
Burton, M. 93
Butler, A. B. 79
Buyle-Bodin, M. 59
Caiazzo, M. 5
Chin, K. 55
Chirossel, J. P. 59
Chou, S.-C. 73
Contini, C. 37
Dagan, J. 47
Denoth, F. 37
Divieti, L. 69
Frigo, C. 29
Glick, S. M. 99
Goto, H. 55
Guernsey, D. L. 73
Johnson, R. N. 79
Keehn, J. D. 93
Kralj, B. 11
Lavie, P. 99
Leroith, D. 99
Levi, U. 47
Lord, M. 41
Luboshitzky, R. 99
Maffeo, C. J. 79
Malezic, M. 17
Mambrito, B. 69
Mann, J. D. 79
Marschoff, C. M. 105
Nakano, H. 55
Pedotti, A. 29
Perkins, W. J. 3
Persat, J. C. 59
Petraccaro, F. 5
Plevnik, S. 11
Poupot, C. 59
Shen-Orr, Z. 99
de Rougemont, J. 59
Sok, Y. 99
Stanic, U. 17
Suhel, P. 11
Tabrah, F. L. 73
Trnkoczy, A. 17
Utsunomiya, T. 55